L Number	Hits		DB	Time stamp	7
-	17554984	@ad<=19990405 or @rlfd<=19990405	USPAT;	2002/12/31 09:03	1
			US-PGPUB;		
			EPO; JPO; DERWENT;		
			IBM TDB		
-	1490	(717/140-162).CCLS.	USPAT;	2002/12/30 13:12	
			US-PGPUB;		
			EPO; JPO;		
			DERWENT;		
_	17554984	 @ad<=19990405 or @rlfd<=19990405	IBM_TDB USPAT;	2000/10/20 12 15	
	17334904	edd<-19990405 Of efficient-19990405	US-PGPUB;	2002/12/30 13:15	
			EPO; JPO;		
			DERWENT;		
			IBM_TDB		١.,
-	9	[(()	USPAT;	2002/12/30 14:05	$\mid \mathcal{V} \mid$
		and compil\$4	US-PGPUB;		
			EPO; JPO; DERWENT;		
	1		IBM TDB		1
_	353	(tag\$4 or mark\$4) near3 ((byte adj code)	USPAT;	2002/12/30 13:55	
		or (intermediate adj code) or IR or	US-PGPUB;		
		(intermediate represensation)) and	EPO; JPO;		
		instrument\$4	DERWENT;		i
	304	(newsisterC4 nearly (stances on shockC4 and	IBM_TDB	0000/10/20 12 50	
-	304	(persisten\$4 near4 (storage or check\$4 or validat\$4)) and instrument\$5	USPAT; US-PGPUB;	2002/12/30 13:59	
		variate 477 and instruments	EPO; JPO;		
			DERWENT;		
			IBM TDB		
-	11358	1 1 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7	USPAT;	2002/12/30 14:02	
		(pre adj (compil\$4 or load\$4)) or	US-PGPUB;		
		interpret\$4 or link\$4 or compil\$4)	EPO; JPO;		
			DERWENT; IBM TDB	*	
_	46	(optimi\$5 same ((JIT or just-in-time) or	USPAT;	2002/12/30 14:05	
		(pre adj (compil\$4 or load\$4)) or	US-PGPUB;	2005/12/00 11:00	
		interpret\$4 or link\$4 or compil\$4)) and	EPO; JPO;		
		((persisten\$4 near4 (storage or check\$4 or	DERWENT;		
_	17	<pre>validat\$4)) and instrument\$5) ((optimi\$5 same ((JIT or just-in-time) or</pre>	IBM_TDB USPAT;	2002/12/20 14-27	,
	17	(pre adj (compil\$4 or load\$4)) or	US-PGPUB;	2002/12/30 14:27	
		interpret\$4 or link\$4 or compil\$4)) and	EPO; JPO;		
		((persisten\$4 near4 (storage or check\$4 or	DERWENT;		
		<pre>validat\$4)) and instrument\$5)) and</pre>	IBM_TDB		
		(@ad<=19990405 or @rlfd<=19990405)			1 -
-	7	("5551015" "5574873" "5742794"	USPAT	2002/12/30 14:31	
		"5758140" "5768593" "5802373" "5842017").PN.			
_	205	(identify\$4 or detect\$4) near4 ((hot or	USPAT;	2002/12/31 08:30	
		critical or (most adj2 frequently) or	US-PGPUB;		
	i	marked or tagged) adj3 (section\$1 or	EPO; JPO;		
		sequence\$1 or block\$1))	DERWENT;		
_	36352	/dunamiacE on incremental and there are	IBM TDB	2002/12/22 15 25	
_	36352	(dynamic\$5 or increment\$4 or (just adj4 time) or (run adj time) or (pre adj (USPAT;	2002/12/30 15:00	
		execution or load or link))) near3 (US-PGPUB; EPO; JPO;		
		compil\$5 or load\$4 or translat\$4 or	DERWENT;		
		interpret\$4)	IBM_TDB		1
-	9	((pre adj2 load) or (load adj2 time))	USPAT;	2002/12/30 15:10	
(near3 ((pre adj compil\$5) or compil\$6)	US-PGPUB;		
/ /		and (byte adj code)	EPO; JPO;		
		•	DERWENT; IBM TDB		
_ [ol	((critical or hot or tagged) adj3	USPAT;	2002/12/30 15:16	
ļ	-	(section\$1 or block\$1 or chunk\$1 or	US-PGPUB;	-552, 12,55 15.10	
ſ	İ	<pre>portion\$1)) near3 ((pre adj compil\$5) or</pre>	EPO; JPO;		
ļ		compil\$6 or instrument\$5) and (byte adj	DERWENT;		
į		code)	IBM TDB		

Search History 1/1/03 3:09:09 PM Page 1

-	1591		USPAT;	2002/12/31 08:28
		(section\$1 or block\$1 or chunk\$1 or	US-PGPUB;	
		portion\$1)) and (compil\$6 or instrument\$5)	EPO; JPO;	
		-	DERWENT;	ļ
			IBM TDB	
<u>-</u>	2037	(distributed adj4 (object\$1 or program\$1	USPAT;	2002/12/31 09:03
		or code)) same execut\$5	US-PGPUB;	
			EPO; JPO;	
	Ì		DERWENT;	ļ
			IBM TDB	
_	588	(identify\$4 or detect\$4 or mark\$4 or	USPĀT;	2002/12/30 15:31
		select\$4) near4 ((hot or critical or (most	US-PGPUB;	
		adj2 frequently) or marked or tagged) adj3	EPO; JPO;	i
		(section\$1 or sequence\$1 or block\$1))	DERWENT;	
		,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	IBM TDB	
_	9137	((link\$4 or bind\$4 or execut\$4 or	USPAT;	2002/12/30 15:36
		compil\$4) or (persisten\$5 stor\$6)) same	US-PGPUB;	
i	İ	((distributed or download\$4 or transmi\$6)	EPO; JPO;	
		near4 object\$1)	DERWENT;	i
	1		IBM TDB	
_	2129	((critical or hot or tagged or marked)	USPAT;	2002/12/31 08:22
	2129	adj3 (section\$1 or block\$1 or chunk\$1 or	US-PGPUB;	2002/12/31 00.22
		portion\$1)) and (compil\$6 or instrument\$5)	EPO; JPO;	
			DERWENT;	
			IBM TDB	
	1593	((critical or hot or tagged) adj3	USPAT;	2002/12/31 08:28
_	1593	(section\$1 or block\$1 or chunk\$1 or	US-PGPUB;	2002/12/31 08.28
			1	
		portion\$1)) and (compil\$6 or instrument\$5)	EPO; JPO;	
			DERWENT;	
	005	(1.1 1.0. C. C. C. C	IBM_TDB	2002/12/21 00:20
-	205	(identify\$4 or detect\$4) near4 ((hot or	USPAT;	2002/12/31 08:30
		critical or (most adj2 frequently) or	US-PGPUB;	
		marked or tagged) adj3 (section\$1 or	EPO; JPO;	
		sequence\$1 or block\$1))	DERWENT;	
	25.5	41 4 45 2 44 4 31 31 31 31	IBM_TDB	2002/12/21 20 22
-	356	(instrument\$5 near3 ((byte adj code) or IR	USPAT;	2002/12/31 09:02
		or (intermediate adj2 representation)))	US-PGPUB;	İ
ļ		and (mark\$4 or tag\$4 or index\$4 or	EPO; JPO;	
		table\$2 or (hot adj3 (section\$ or block\$1	DERWENT;	
		or portion(1)))	IBM_TDB	0000/10/01 00 50
-	2049	(distributed adj4 (object\$1 or program\$1	USPAT;	2002/12/31 09:58
		or code)) same execut\$5	US-PGPUB;	
			EPO; JPO;	ĺ
			DERWENT;	
		7.461	IBM_TDB	0000/10/01 00 00
-	3387	compil\$4 near7 (first or later or	USPAT;	2002/12/31 09:06
		subsequent or priorit\$5 or progressiv\$4 or	US-PGPUB;	
		increment\$4 or (load adj time))	EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	94	((trace adj hook\$1) or mark\$4 or	USPAT;	2002/12/31 09:08
		instrument\$3 or tag\$4) near3 ((byte or	US-PGPUB;	
		intermediate) adj2 code\$1)	EPO; JPO;	
			DERWENT;	
			IBM TDB	
_	80	((increment\$5 or selecti\$4) adj4 compil\$5)	USPĀT;	2002/12/31 09:56
		and ((intermediate or byte) adj code)	US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
			IBM TDB	
	l			1

_	3	(((US-5898872-\$ or US-6499137-\$ or	USPAT;	2002/12/31 10:57
		US-6263491-\$ or US-5768593-\$ or	US-PGPUB;	
		US-5586330-\$ or US-6330556-\$ or	EPO; JPO;	
		US-6119115-\$ or US-6209018-\$ or	DERWENT;	
		US-6295645-\$ or US-6189141-\$ or	IBM TDB	
		US-6164841-\$ or US-6029000-\$ or		
		US-6044220-\$ or US-6112025-\$ or		
		US-5815720-\$ or US-5182806-\$ or		
		US-6308320-\$ or US-6186677-\$ or		
		US-5230050-\$ or US-5625822-\$ or		
		US-5745703-\$ or US-6256637-\$ or		
		US-6161219-\$ or US-5848274-\$ or		
	İ	US-5586328-\$ or US-5491821-\$).did. or		
		(US-4656582-\$).did. or		
		(US-20020073405-\$).did. or		
		(US-20010042172-\$ or US-6295641-\$).did.)		
		and (IR or (intermediate adj code) or		
		(byte adj code))) and ((distributed adj4		
		(object\$1 or program\$1 or code)) same		
		execut\$5)		
_	17	5848274.URPN.	USPAT	2002/12/31 11:07
_	24	("4802165" "4809170" "4953084"	USPAT	2002/12/31 11:32
		"5170465" "5175856" "5182806"	001111	2002/12/31 11.32
		"5193191" "5201050" "5204960"		
		"5265254" "5291583" "5307499"		
		"5325531" "5327562" "5339431"		
		"5339433" "5355494" "5357628"		
		"5371747" "5375239" "5426648"		
		"5432795" "5459868" "5590331").PN.		
-	1	"5276881".PN.	USPAT	2002/12/31 13:04
_	6	((intermediate or byte or IR) adj2 code)	USPAT;	2002/12/31 13:04
		near6 ((partial\$3 or selectiv\$4) near3	US-PGPUB;	2002/12/31 13:00
		compil\$4)	EPO; JPO;	
		Compilyi	DERWENT;	
			IBM TDB	
_	3	6263491.URPN.	USPAT	2002/12/31 13:13
_	16	6263491.0RPN. ("3427443" "3551659" "4819233"	USPAT	2002/12/31 13:13
	10	"5579520" "5724584" "5752038"	USPAI	2002/12/31 13:14
		"5790858" "5806061" "5917998"		
		"5978785" "5987247" "6023696" "6088717" "6113204" "6131005"		
		"6088717" "6112304" "6131095"		
	I	"6134559").PN.	1	